# GENERIC NAME: PHENYLEPHRINE NASAL SPRAY 0.5%

112.24

**BRAND NAME:** Neo-synephrine Nasal Spray 0.5%

**CLASS:** topical vasoconstrictor

# Mechanism of Action:

Stimulates a receptors in the blood vessels of the nasal mucosa which causes their constriction and thereby decreases the risk of nasal bleeding.

# <u>Indications and Field Use:</u>

Facilitation of nasotracheal intubation

### **Contraindications:**

Known allergy to medication

**Adverse Reactions:** (rare with single dose, rarely absorbed systemically from nasal instillation)

**CV:** Hypertension, palpitations

**CNS:** Tremors

#### NOTES ON ADMINISTRATION

### Incompatibilities/Drug Interactions:

None

#### Adult Dosage:

2-4 sprays in each nostril before attempting tube insertion

### Pediatric Dosage:

None

### Routes of Administration:

Mucosal; spray in each nostril

### Onset of Action:

Seconds

### Peak Effects:

30 minutes

# PHENYLEPHRINE NASAL SPRAY 0.5%

112.24

### **Duration of Action:**

30 minutes to 4 hours

### Dosage Forms/Packaging:

0.5% solution, 15 ml bottle

# Arizona Drug Box Supply Range:

PARAMEDIC: 1 - 2 bottles

INTERMEDIATE: 1 - 2 bottles

### **Special Notes:**

> Single patient use only.

- > Air or strong light causes potency loss; do not use solution if brown in color or precipitate is in bottle
- > Nasal intubation tips: examine nares for most patent side; administer topical vasoconstrictor, use ETT 0.5-1.0 mm smaller than for oral intubation; lubricate nostril and tube; tube bevel face nasal septum to avoid abrading Kieselbach's Plexus; advance tube along nasal floor of more patent side.